Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trad	le mark: FOREVER LIGHT
-------------------------	------------------------

Supplier's address: R&D Department, Krakowska 119, 50-428 Wrocław Wrocław Dolnośląskie, PL

Model identifier:	RTV003623
-------------------	-----------

Type	٥f	liah+		
Type	OI.	IIKIIL	Soui	ce.


Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	3x0,75mm			
(or other electric interface)				
Mains or non-mains:	MLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Book at a constant				

Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
Energy consur mode (kWh/10 up to the neare	00 h), rounded	100	Energy efficiency class	G	
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide coneerrow cone (90º)	8 000 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 000	
On-mode pow pressed in W	ver (P _{on}), ex-	100,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	<u>-</u>	
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	270	Spectral power dis-	See image	
sions without	Width	210	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	35	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,307		
		nates (x and y)	0,328		
Parameters for LED and OLED lig	ht sources:				
R9 colour rendering index value	-9	Survival factor	-		
the lumen maintenance factor	-				
Parameters for LED and OLED m	Parameters for LED and OLED mains light sources:				
displacement factor (cos φ1)	0,93	Colour consistency in McAdam ellipses	6		
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-		
Flicker metric (Pst LM)	0,1	Stroboscopic effect metric (SVM)	0,1		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 08/12/2020



EPREL registration number: 721500 https://eprel.ec.europa.eu/qr/721500

Supplier: TELFORCEONE S A (Manufacturer) Website: WWW.TELFORCEONE.PL

Customer care service:

Name: R&D Department Website: www.telforceone.pl

Email: marcin.kwolek@tfo.pl Phone: +48 71 327 20 00

Address:

Krakowska 119 50-428 Wrocław

Poland